ADVANCED EXTERIORS, INC.

Dave Mehring Residence



Roofing System # 1





- Tear off asphalt shingles from 11/12 pitch
- Re-deck over delaminated plywood with OSB
- Install 116 SQ of DaVinci Bellaforte Slate system

Roofing System # 2









- Tear off Modified Bitumen and EPDM roofing
- Remove and replace 5 Velux custom skylights
- Install 14 SQ of Polyglass 2-ply Modified Bitumin

Safety Considerations









- Scaffolding setup by stucco crew to safely cutback stucco for roof install
- Fall protection was used on all 2 & 3 story roof areas up to 11/12 pitch
- Installation of Eco-Chief Solarhide to achieve class A fire rating and GAF Weather Watch leak barrier
- Stamped concrete driveway protected by OSB road

Unique Job Circumstances





- Installation of 2 different roofing systems
- 3-story roof areas and very steep slope
- Installation of 5 Velux custom skylights
- Coordination with Stucco and Masonry contractors to properly flash headwalls, sidewalls and chimneys

Headwall & Sidewall Flashings



All About Stucco had to coordinate with roofers before and after install to cutback the stucco and then reskim it.

Chimney Flashings





Before



After







Woodward Masonry had to coordinate with roofers before and after install to cutback the stone to be properly install the chimney flashings

Completion Photos



Completion Photos



